Rugged outdoor 30x PTZ camera

- High-definition 1080p
- 316L stainless steel
- Designed for environments classified as hazardous
- Certified Class I Division 1

Certified Outdoor HD Pan/Tilt/Zoom Camera APTZ-3045-06



Rugged, high-definition video camera for hazardous environments

The APTZ-3045-06 is a high quality, high-definition color video camera with outstanding low-light performance. The camera has a 30x motor-driven optical zoom and delivers image-stabilized 1080p HD video. This high performance camera automatically switches to black and white and removes an

IR cut filter to increase sensitivity in low light conditions.

The camera is housed in a 316L stainless-steel enclosure certified for Class I Division 1, groups B, C, and D. IP connection requires a separate encoder.



▶ specifications

•	
Imager	1/2.8" Exmor CMOS
Shutter	1 to 1/10,000 seconds
Minimum Illumination	1.4 lux
White Balance	Auto and Manual
Iris	Auto and Manual
Focus	Auto and Manual
View Angle	2.3° - 63.7°
Focal Length	4.3 – 129.0 mm
F-number	1.6 - 4.7
Zoom ratio	30x Optical
Pan Angle	360°
Pan Speed	40° per second
Tilt Angle	-90° to 90° (180° view range)
Tilt Speed	40° per second
Video Output	HD-SDI
Protocol	Pelco-D
Resolution	1920 x 1080
Weight	48.5 lbs.
Voltage Required	90 - 240 VAC
Current	≤ 500mA
Operating Temperature	-25° to 50° C
Dimensions	15.3" H x 13.4" W x 9.2" D
Mount	Pedestal
Rating	Class I Groups B, C, & D T6 Tamb +50°C (+122°F) NEMA TYPE 4 Class I Zone 1 Group IIB H2

▶ features



1080p high-definition broadcast quality video



-25° to 50° C



316L stainless-steel enclosure

▶ accessories

CS-3345-6 Hazardous area HD-SDI camera server

▶ ordering information

APTZ-3045-06

▶IVC camera management software

Point & click camera management & control

Robust, enterprise class software to manage and control your cameras and video from anywhere in the world.





