

Software Name: Firmware for EDS-518E Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
v6.0	18052914	N/A	N/A	<p>New Features: N/A</p> <p>Enhancements: N/A</p>	<p>Bugs Fixed:</p> <ol style="list-style-type: none"> Fixed the issue regarding obtaining information about RTSP port state errors through Modbus/TCP Fixed the issue that caused Loop prevent to not work when RSTP is enabled <p>Changes:</p> <ol style="list-style-type: none"> Support new flash and ensure it is backward compatible with the old flash <p>(Note: Hardware versions later than 2.0.0 only support firmware version 6.0 or later)</p>	N/A

Software Name: Firmware for EDS-518E Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
v5.1	Build_16072215	N/A	EDS-518E-4GTXSFP, EDS-518E-MM-SC-4GTXSFP, EDS-518E-MM-ST-4GTXSFP, EDS-518E-SS-SC-4GTXSFP, EDS-518E-4GTXSFP-T, EDS-518E-MM-SC-4GTXSFP-T, EDS-518E-MM-ST-4GTXSFP-T, EDS-518E-SS-SC-4GTXSFP-T	New Features: <ol style="list-style-type: none"> 1. System Notification: Definable Successful/Failed Login notification. 2. Password Policy: Password Strength can be set. 3. Account Lockout Policy: Failure Threshold and Lockout Time can be set. 4. Log Management: Full Log Handling. 5. Remote Access Interface Enable/Disable. 6. Configuration encryption with password. 7. Supports SSL Certification Import. 8. Supports MAC Authentication Bypass via RADIUS Authentication. 9. MAC Address Access Control List or MAC Address Filtering. 10. Protects against MAC Flooding Attack by MAC Address Sticky. 11. NTP Authentication to prevent NTP DDoS Attack. 12. Login Authentication: Support Primary & Backup Database Servers (RADIUS / TACACS+ / Local Account). 13. Login Authentication via RADIUS Server: Support Challenge Handshake Authentication Protocol (CHAP) Authentication Mechanism. 14. RADIUS Authentication: Support EAP-MSCHAPv2 (For Windows7). 15. MXview Security View Feature Support* (with MXstudio v2.4). 16. Turbo Ring v1/v2, Turbo Chain Support Port Trunking. 17. Layer2 V-On support. 	Bugs Fixed: <ol style="list-style-type: none"> 1. Drown Attack. 2. ICS-VU-951212 Vulnerabilities. 3. Nessus Vulnerability. Changes: N/A	N/A

Software Name: Firmware for EDS-518E Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
				Enhancements: 1. CLI: Supports multiple sessions (up to six). 2. SMTP supports Transport Layer Security (TLS) Protocol and Removes SSL v2/v3. 3. SNMPv3 Traps and Informs. 4. Fixed Display Issue with Java Applet. 5. Fiber Check: Add Threshold Alarm. 6. Static Port Lock with IVL Mode. 7. Serial Number: 12 Digital S/N Display. 8. When GbE Port Speed is [Auto], MDI/MDIX is [Auto] Fixed. 9. Web UI/CLI Command Enhancement and Modification.		
v4.1	Build_15022416	N/A	EDS-518E-4GTXSFP, EDS-518E-MM-SC-4GTXSFP, EDS-518E-MM-ST-4GTXSFP, EDS-518E-SS-SC-4GTXSFP, EDS-518E-4GTXSFP-T, EDS-518E-MM-SC-4GTXSFP-T, EDS-518E-MM-ST-4GTXSFP-T, EDS-518E-SS-SC-4GTXSFP-T	New Features: 1. New release for the EDS-518E Series. Enhancements: N/A	Bugs Fixed: N/A Changes: N/A	N/A