

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
v1.6	20120421	Windows_2000, Windows_XP, Windows_Server_2003, Windows_Vista, Windows_Server_2008, Windows_Server_2008_ R2, Windows_7	USB-to-Serial Converters, Multiport Serial Boards, Serial Device Servers	<ol> <li>Added byte transmit/receive counter in PComm Terminal.</li> <li>PComm Terminal supports pasting clipboard content to terminal.</li> <li>Enhancements:</li> </ol>	Bugs Fixed: 1. PComm Terminal could not locate system file ws2_32.dll in Windows 2000 and Windows XP. 2. In the Send Pattern function, an individual port cannot be stopped but all ports can be stopped simultaneously. Changes: N/A	<ol> <li>Terminal         Emulator: Supports         all serial products,             including non-Moxa             products.         2. Diagnostic Utility:             Supports Moxa             Multiport Serial             Boards.         3. Monitor Utility:             Supports Moxa             Multiport Serial             Boards.         4. Performance             Analyzer: Supports             Moxa Multiport             Serial Boards,             UPort Series, and             NPort Series.             5. PComm Library:             Supports all serial             products, including             non-Moxa products.</li></ol>



Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
v1.5	N/A	Windows_2000, Windows_XP, Windows_Server_2003, Windows_Vista, Windows_Server_2008, R2, Windows_7	Multiport Serial Boards, Serial Device Servers, USB-to-Serial Converters	<ul> <li>New Features:</li> <li>1. Supports Windows 2008/2008 R2 (x86/x64).</li> <li>2. Supports HEX code display for dumb mode.</li> <li>3. Supports linear baud rate configuration.</li> <li>4. Supports send pattern for multiple COM ports.</li> <li>5. Supports data file pattern.</li> <li>6. Supports interval time between sending two patterns.</li> <li>7. Supports network communication: TCP Server/Client, UDP.</li> <li>8. Supports auto line wrap.</li> <li>9. Supports DTR/DSR flow control configuration.</li> <li>11. Supports Performance Analyzer.</li> <li>Enhancements:</li> <li>1.Includes VC project example code for PComm library</li> <li>2. Read method using RX_CHAR event.</li> <li>3. Supports opening multiple COM ports.</li> <li>4. Log files can be stored in a specified path/link.</li> </ul>	Bugs Fixed: N/A Changes: N/A	<ol> <li>Terminal Emulator: Supports all serial products, including non-Moxa products.</li> <li>Diagnostic Utility: Supports Moxa Multiport Serial Boards.</li> <li>Monitor Utility: Supports Moxa Multiport Serial Boards.</li> <li>Performance Analyzer: Supports Moxa Multiport Serial Boards, UPort Series, and NPort Series.</li> <li>PComm Library: Supports all serial products, including non-Moxa products.</li> </ol>



Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
v1.4	N/A	Windows_2000, Windows_XP, Windows_Server_2003, Windows_Vista, Windows_7	USB-to-Serial Converters, Multiport Serial Boards, Serial Device Servers	New Features: 1. Supports Windows Vista/7. Enhancements: 1. VT100 added "DEL" key support. 2. Modified all online help to HTML format. 3. PComm Lite supports up to COM1024.	Bugs Fixed: 1. Updated PComm.dll to fix ASCII tx causing VB program to hang if tx is held by CTS flow control. Changes: N/A	<ol> <li>Terminal</li> <li>Emulator: Supports all serial products, including non-Moxa products.</li> <li>Diagnostic Utility:</li> <li>Supports Moxa</li> <li>Multiport Serial</li> <li>Boards.</li> <li>Monitor Utility:</li> <li>Supports Moxa</li> <li>Multiport Serial</li> <li>Boards.</li> <li>Performance</li> <li>Analyzer: Supports</li> <li>Moxa Multiport</li> <li>Serial Boards,</li> <li>UPort Series, and</li> <li>NPort Series.</li> <li>PComm Library:</li> <li>Supports all serial</li> <li>products, including</li> <li>non-Moxa products.</li> </ol>



Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
v1.3	N/A		USB-to-Serial Converters, Multiport Serial Boards, Serial Device Servers	New Features: 1. Utilities support Moxa MSB x64 driver. 2. PComm Library supports Windows x64 Edition (AMD64, EM64T). For cross development, x86 & x64 library will both be installed. Enhancements: 1. PComm Terminal display performance.	Bugs Fixed: 1. PComm Terminal status bar display problem. 2. PComm Terminal display problem with Moxa UC Series/EtherDevice/W2004 console. Changes: N/A	<ol> <li>Terminal</li> <li>Emulator: Supports         <ul> <li>all serial products,</li> <li>including non-Moxa</li> <li>products.</li> <li>Diagnostic Utility:</li> <li>Supports Moxa</li> <li>Multiport Serial</li> <li>Boards.</li> <li>Monitor Utility:</li> <li>Supports Moxa</li> <li>Multiport Serial</li> <li>Boards.</li> <li>Performance</li> <li>Analyzer: Supports</li> <li>Moxa Multiport</li> <li>Serial Boards,</li> <li>UPort Series, and</li> <li>NPort Series.</li> <li>PComm Library:</li> <li>Supports all serial</li> <li>products, including</li> <li>non-Moxa products.</li> </ul> </li> </ol>