

**Software Name:** Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
-------------	------------------------------	--------------	-----------------	----------------------------	--------------------	------

Software Name: Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
v2.6	Build_18052917	N/A	VPort P06-1MP-M12-CAM25, VPort P06-1MP-M12-CAM25-T, VPort P06-1MP-M12-CAM25-CT, VPort P06-1MP-M12-CAM25-CT-T, VPort P06-1MP-M12-MIC-CAM25, VPort P06-1MP-M12-MIC-CAM25-T, VPort P06-1MP-M12-MIC-CAM25-CT, VPort P06-1MP-M12-MIC-CAM25-CT-T, VPort P06-1MP-M12-CAM36, VPort P06-1MP-M12-CAM36-T, VPort P06-1MP-M12-CAM36-CT, VPort P06-1MP-M12-CAM36-CT-T, VPort P06-1MP-M12-MIC-CAM36, VPort P06-1MP-M12-MIC-CAM36-T, VPort P06-1MP-M12-MIC-CAM36-CT, VPort P06-1MP-M12-MIC-CAM36-CT-T, VPort P06-1MP-M12-CAM42, VPort P06-1MP-M12-CAM42-T, VPort P06-1MP-M12-CAM42-CT, VPort P06-1MP-M12-CAM42-CT-T, VPort P06-1MP-M12-MIC-CAM42, VPort P06-1MP-M12-MIC-CAM42-T, VPort P06-1MP-M12-MIC-CAM42-CT, VPort P06-1MP-M12-MIC-CAM42-CT-T, VPort P06-1MP-M12-CAM60, VPort P06-1MP-M12-CAM60-T, VPort P06-1MP-M12-CAM60-CT, VPort P06-1MP-M12-CAM60-CT-T, VPort P06-1MP-M12-MIC-CAM60, VPort P06-1MP-M12-MIC-CAM60-T, VPort P06-1MP-M12-MIC-CAM60-CT, VPort P06-1MP-M12-CAM80,	<p><b>New Features:</b> N/A</p> <p><b>Enhancements:</b> N/A</p>	<p><b>Bugs Fixed:</b> 1. Fixed the issue that caused SNMP communications to sometimes fail</p> <p><b>Changes:</b> N/A</p>	N/A

**Software Name:** Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
			VPort P06-1MP-M12-CAM80-T, VPort P06-1MP-M12-CAM80-CT, VPort P06-1MP-M12-CAM80-CT-T, VPort P06-1MP-M12-MIC-CAM80, VPort P06-1MP-M12-MIC-CAM80-T, VPort P06-1MP-M12-MIC-CAM80-CT, VPort P06-1MP-M12-MIC-CAM80-CT-T, VPort P06-1MP-M12-MIC-CAM60-CT-T			

Software Name: Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
v2.5	Build_18031317	N/A	VPort P06-1MP-M12-CAM25, VPort P06-1MP-M12-CAM25-CT, VPort P06-1MP-M12-CAM36, VPort P06-1MP-M12-CAM36-CT, VPort P06-1MP-M12-CAM36-T, VPort P06-1MP-M12-CAM42, VPort P06-1MP-M12-CAM42-T, VPort P06-1MP-M12-CAM60, VPort P06-1MP-M12-CAM60-CT, VPort P06-1MP-M12-CAM60-T, VPort P06-1MP-M12-MIC-CAM36, VPort P06-1MP-M12-MIC-CAM36-T, VPort P06-1MP-M12-MIC-CAM42-T, VPort P06-1MP-M12-MIC-CAM60, VPort P06-1MP-M12-CAM25-T, VPort P06-1MP-M12-CAM25-CT-T, VPort P06-1MP-M12-CAM36-CT-T, VPort P06-1MP-M12-CAM42-CT, VPort P06-1MP-M12-CAM42-CT-T, VPort P06-1MP-M12-CAM60-CT-T, VPort P06-1MP-M12-CAM80, VPort P06-1MP-M12-CAM80-CT, VPort P06-1MP-M12-CAM80-T, VPort P06-1MP-M12-CAM80-CT-T, VPort P06-1MP-M12-MIC-CAM25, VPort P06-1MP-M12-MIC-CAM25-T, VPort P06-1MP-M12-MIC-CAM25-CT, VPort P06-1MP-M12-MIC-CAM25-CT-T, VPort P06-1MP-M12-MIC-CAM36-CT, VPort P06-1MP-M12-MIC-CAM36-CT-T, VPort P06-1MP-M12-MIC-CAM42, VPort P06-1MP-M12-MIC-CAM42-CT, VPort	<p><b>New Features:</b></p> <ol style="list-style-type: none"> <li>1. Supports flow control.</li> </ol> <p><b>Enhancements:</b></p> <ol style="list-style-type: none"> <li>1. Upgraded the BIOS to v1.5.</li> <li>2. Changed the serial no. to 12 digits on the web console.</li> </ol>	<p><b>Bugs Fixed:</b></p> <ol style="list-style-type: none"> <li>1. Camera configuration occasionally lost.</li> </ol> <p><b>Changes:</b></p> <p>N/A</p>	N/A

**Software Name:** Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
			P06-1MP-M12-MIC-CAM42-CT-T, VPort P06-1MP-M12-MIC-CAM60-T, VPort P06-1MP-M12-MIC-CAM60-CT, VPort P06-1MP-M12-MIC-CAM60-CT-T, VPort P06-1MP-M12-MIC-CAM80, VPort P06-1MP-M12-MIC-CAM80-CT, VPort P06-1MP-M12-MIC-CAM80-T, VPort P06-1MP-M12-MIC-CAM80-CT-T			

Software Name: Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
v2.4	Build _16032502	N/A	VPort P06-1MP-M12-MIC-CAM25-CT, VPort P06-1MP-M12-MIC-CAM25-CT-T, VPort P06-1MP-M12-MIC-CAM36-CT, VPort P06-1MP-M12-MIC-CAM36-CT-T, VPort P06-1MP-M12-MIC-CAM42, VPort P06-1MP-M12-MIC-CAM42-CT, VPort P06-1MP-M12-MIC-CAM42-CT-T, VPort P06-1MP-M12-MIC-CAM60-T, VPort P06-1MP-M12-MIC-CAM60-CT, VPort P06-1MP-M12-MIC-CAM60-CT-T, VPort P06-1MP-M12-MIC-CAM80, VPort P06-1MP-M12-MIC-CAM80-CT, VPort P06-1MP-M12-MIC-CAM80-T, VPort P06-1MP-M12-MIC-CAM80-CT-T, VPort P06-1MP-M12-CAM25, VPort P06-1MP-M12-CAM25-CT, VPort P06-1MP-M12-CAM36, VPort P06-1MP-M12-CAM36-CT, VPort P06-1MP-M12-CAM36-T, VPort P06-1MP-M12-CAM42, VPort P06-1MP-M12-CAM42-T, VPort P06-1MP-M12-CAM60, VPort P06-1MP-M12-CAM60-CT, VPort P06-1MP-M12-CAM60-T, VPort P06-1MP-M12-MIC-CAM36, VPort P06-1MP-M12-MIC-CAM36-T, VPort P06-1MP-M12-MIC-CAM42-T, VPort P06-1MP-M12-MIC-CAM60, VPort P06-1MP-M12-CAM25-T, VPort P06-1MP-M12-CAM25-CT-T, VPort P06-1MP-M12-CAM36-CT-T, VPort P06-1MP-	<p><b>New Features:</b> N/A</p> <p><b>Enhancements:</b> 1. Enhanced the tamper alarm function.</p>	<p><b>Bugs Fixed:</b> N/A</p> <p><b>Changes:</b> 1. Updated to ActiveX SDK 2.8.</p>	N/A

**Software Name:** Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
			M12-CAM42-CT, VPort P06-1MP-M12-CAM42-CT-T, VPort P06-1MP-M12-CAM60-CT-T, VPort P06-1MP-M12-CAM80, VPort P06-1MP-M12-CAM80-CT, VPort P06-1MP-M12-CAM80-T, VPort P06-1MP-M12-CAM80-T, VPort P06-1MP-M12-CAM80-CT-T, VPort P06-1MP-M12-MIC-CAM25, VPort P06-1MP-M12-MIC-CAM25-T			

Software Name: Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
v2.3	Build_15041522	N/A	VPort P06-1MP-M12-CAM25, VPort P06-1MP-M12-CAM25-CT, VPort P06-1MP-M12-CAM36, VPort P06-1MP-M12-CAM36-CT, VPort P06-1MP-M12-CAM36-T, VPort P06-1MP-M12-CAM42, VPort P06-1MP-M12-CAM42-T, VPort P06-1MP-M12-CAM60, VPort P06-1MP-M12-CAM60-CT, VPort P06-1MP-M12-CAM60-T, VPort P06-1MP-M12-MIC-CAM36, VPort P06-1MP-M12-MIC-CAM36-T, VPort P06-1MP-M12-MIC-CAM42-T, VPort P06-1MP-M12-MIC-CAM60, VPort P06-1MP-M12-CAM25-T, VPort P06-1MP-M12-CAM25-CT-T, VPort P06-1MP-M12-CAM36-CT-T, VPort P06-1MP-M12-CAM42-CT, VPort P06-1MP-M12-CAM42-CT-T, VPort P06-1MP-M12-CAM60-CT-T, VPort P06-1MP-M12-CAM80, VPort P06-1MP-M12-CAM80-CT, VPort P06-1MP-M12-CAM80-T, VPort P06-1MP-M12-CAM80-CT-T, VPort P06-1MP-M12-MIC-CAM25, VPort P06-1MP-M12-MIC-CAM25-T, VPort P06-1MP-M12-MIC-CAM25-CT, VPort P06-1MP-M12-MIC-CAM25-CT-T, VPort P06-1MP-M12-MIC-CAM36-CT, VPort P06-1MP-M12-MIC-CAM36-CT-T, VPort P06-1MP-M12-MIC-CAM42, VPort P06-1MP-M12-MIC-CAM42-CT, VPort	<p><b>New Features:</b> N/A</p> <p><b>Enhancements:</b> N/A</p>	<p><b>Bugs Fixed:</b></p> <ol style="list-style-type: none"> <li>1. Connection fail issue when there are large multicast packets in the network.</li> <li>2. Multicast streaming network issue after changing IP address without configuring the gateway.</li> <li>3. Web server crash issue after deleting the default 3 profiles via CGI commands.</li> <li>4. Connection fail issue when in Sequential Snapshot mode with complicated image content.</li> <li>5. Unable to provide correct audio stream when recording MJPEG video with MXNVR-IA8.</li> <li>6. Stream server crash may occur when connecting to a camera that is booting.</li> <li>7. Configuration import fails when the camera's network connection is in half mode.</li> <li>8. Camera not added into the camera list of Milestone VMS.</li> </ol> <p><b>Changes:</b></p> <ol style="list-style-type: none"> <li>1. Supports Samsung K9F1G08U0E flash.</li> <li>2. Improved VMS interoperability.</li> </ol>	N/A



**Software Name:** Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
			P06-1MP-M12-MIC-CAM42-CT-T, VPort P06-1MP-M12-MIC-CAM60-T, VPort P06-1MP-M12-MIC-CAM60-CT, VPort P06-1MP-M12-MIC-CAM60-CT-T, VPort P06-1MP-M12-MIC-CAM80, VPort P06-1MP-M12-MIC-CAM80-CT, VPort P06-1MP-M12-MIC-CAM80-T, VPort P06-1MP-M12-MIC-CAM80-CT-T			

Software Name: Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
v2.2	Build_14052816	N/A	VPort P06-1MP-M12-CAM25, VPort P06-1MP-M12-CAM25-CT, VPort P06-1MP-M12-CAM36, VPort P06-1MP-M12-CAM36-CT, VPort P06-1MP-M12-CAM36-T, VPort P06-1MP-M12-CAM42, VPort P06-1MP-M12-CAM42-T, VPort P06-1MP-M12-CAM60, VPort P06-1MP-M12-CAM60-CT, VPort P06-1MP-M12-CAM60-T, VPort P06-1MP-M12-MIC-CAM36, VPort P06-1MP-M12-MIC-CAM36-T, VPort P06-1MP-M12-MIC-CAM42-T, VPort P06-1MP-M12-MIC-CAM60, VPort P06-1MP-M12-CAM25-T, VPort P06-1MP-M12-CAM25-CT-T, VPort P06-1MP-M12-CAM36-CT-T, VPort P06-1MP-M12-CAM42-CT, VPort P06-1MP-M12-CAM42-CT-T, VPort P06-1MP-M12-CAM60-CT-T, VPort P06-1MP-M12-CAM80, VPort P06-1MP-M12-CAM80-CT, VPort P06-1MP-M12-CAM80-T, VPort P06-1MP-M12-CAM80-CT-T, VPort P06-1MP-M12-MIC-CAM25, VPort P06-1MP-M12-MIC-CAM25-T, VPort P06-1MP-M12-MIC-CAM25-CT, VPort P06-1MP-M12-MIC-CAM25-CT-T, VPort P06-1MP-M12-MIC-CAM36-CT, VPort P06-1MP-M12-MIC-CAM36-CT-T, VPort P06-1MP-M12-MIC-CAM42, VPort P06-1MP-M12-MIC-CAM42-CT, VPort	<p><b>New Features:</b></p> <ol style="list-style-type: none"> <li>1. Compliant with ONVIF Profile S spec V2.2.1.</li> <li>2. Supports audio line-in and microphone models.</li> <li>3. Supports Firefox and Chrome browsers.</li> <li>4. Supports HTTP digest authentication.</li> <li>5. Supports POSIX 1003.1 customized time zone setting.</li> <li>6. Added ONVIF device auxiliary commands to support CBRPro.</li> </ol> <p><b>Enhancements:</b></p> <p>N/A</p>	<p><b>Bugs Fixed:</b></p> <p>N/A</p> <p><b>Changes:</b></p> <ol style="list-style-type: none"> <li>1. Restored max UDP connections to 5 by removing private VMD encoder.</li> <li>2. Changed the MIB file to v2.2.</li> </ol>	N/A

**Software Name:** Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
			P06-1MP-M12-MIC-CAM42-CT-T, VPort P06-1MP-M12-MIC-CAM60-T, VPort P06-1MP-M12-MIC-CAM60-CT, VPort P06-1MP-M12-MIC-CAM60-CT-T, VPort P06-1MP-M12-MIC-CAM80, VPort P06-1MP-M12-MIC-CAM80-CT, VPort P06-1MP-M12-MIC-CAM80-T, VPort P06-1MP-M12-MIC-CAM80-CT-T			

Software Name: Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
v2.0	Build_14010310	N/A	VPort P06-1MP-M12-CAM25, VPort P06-1MP-M12-CAM25-CT, VPort P06-1MP-M12-CAM36, VPort P06-1MP-M12-CAM36-CT, VPort P06-1MP-M12-CAM36-T, VPort P06-1MP-M12-CAM42, VPort P06-1MP-M12-CAM42-T, VPort P06-1MP-M12-CAM60, VPort P06-1MP-M12-CAM60-CT, VPort P06-1MP-M12-CAM60-T, VPort P06-1MP-M12-MIC-CAM36, VPort P06-1MP-M12-MIC-CAM36-T, VPort P06-1MP-M12-MIC-CAM42-T, VPort P06-1MP-M12-MIC-CAM60, VPort P06-1MP-M12-CAM25-T, VPort P06-1MP-M12-CAM25-CT-T, VPort P06-1MP-M12-CAM36-CT-T, VPort P06-1MP-M12-CAM42-CT, VPort P06-1MP-M12-CAM42-CT-T, VPort P06-1MP-M12-CAM60-CT-T, VPort P06-1MP-M12-CAM80, VPort P06-1MP-M12-CAM80-CT, VPort P06-1MP-M12-CAM80-T, VPort P06-1MP-M12-CAM80-CT-T, VPort P06-1MP-M12-MIC-CAM25, VPort P06-1MP-M12-MIC-CAM25-T, VPort P06-1MP-M12-MIC-CAM25-CT, VPort P06-1MP-M12-MIC-CAM25-CT-T, VPort P06-1MP-M12-MIC-CAM36-CT, VPort P06-1MP-M12-MIC-CAM36-CT-T, VPort P06-1MP-M12-MIC-CAM42, VPort P06-1MP-M12-MIC-CAM42-CT, VPort	<p><b>New Features:</b></p> <ol style="list-style-type: none"> <li>1. Supports ONVIF Profile S.</li> </ol> <p><b>Enhancements:</b></p> <ol style="list-style-type: none"> <li>1. Web UI changed to support Profile S.</li> <li>2. Camera tamper will be disabled if all video stream resolutions are larger than D1.</li> <li>3. Digital noise filter will only be activated for the stream with the highest resolution configuration.</li> </ol>	<p><b>Bugs Fixed:</b></p> <p>N/A</p> <p><b>Changes:</b></p> <p>N/A</p>	N/A

**Software Name:** Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
			P06-1MP-M12-MIC-CAM42-CT-T, VPort P06-1MP-M12-MIC-CAM60-T, VPort P06-1MP-M12-MIC-CAM60-CT, VPort P06-1MP-M12-MIC-CAM60-CT-T, VPort P06-1MP-M12-MIC-CAM80, VPort P06-1MP-M12-MIC-CAM80-CT, VPort P06-1MP-M12-MIC-CAM80-T, VPort P06-1MP-M12-MIC-CAM80-CT-T			

Software Name: Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
v1.4	Build_14030518	N/A	VPort P06-1MP-M12-CAM25, VPort P06-1MP-M12-CAM25-CT, VPort P06-1MP-M12-CAM36, VPort P06-1MP-M12-CAM36-CT, VPort P06-1MP-M12-CAM36-T, VPort P06-1MP-M12-CAM42, VPort P06-1MP-M12-CAM42-T, VPort P06-1MP-M12-CAM60, VPort P06-1MP-M12-CAM60-CT, VPort P06-1MP-M12-CAM60-T, VPort P06-1MP-M12-MIC-CAM36, VPort P06-1MP-M12-MIC-CAM36-T, VPort P06-1MP-M12-MIC-CAM42-T, VPort P06-1MP-M12-MIC-CAM60, VPort P06-1MP-M12-CAM25-T, VPort P06-1MP-M12-CAM25-CT-T, VPort P06-1MP-M12-CAM36-CT-T, VPort P06-1MP-M12-CAM42-CT, VPort P06-1MP-M12-CAM42-CT-T, VPort P06-1MP-M12-CAM60-CT-T, VPort P06-1MP-M12-CAM80, VPort P06-1MP-M12-CAM80-CT, VPort P06-1MP-M12-CAM80-T, VPort P06-1MP-M12-CAM80-CT-T, VPort P06-1MP-M12-MIC-CAM25, VPort P06-1MP-M12-MIC-CAM25-T, VPort P06-1MP-M12-MIC-CAM25-CT, VPort P06-1MP-M12-MIC-CAM25-CT-T, VPort P06-1MP-M12-MIC-CAM36-CT, VPort P06-1MP-M12-MIC-CAM36-CT-T, VPort P06-1MP-M12-MIC-CAM42, VPort P06-1MP-M12-MIC-CAM42-CT, VPort	<p><b>New Features:</b> N/A</p> <p><b>Enhancements:</b></p> <ol style="list-style-type: none"> <li>Supports RTCP for RTSP stream.</li> <li>Removed TI SEI information from VPort's stream.</li> <li>Disabled rshd &amp; rlogin for security issue.</li> <li>Added advanced frames-released algorithm to prevent cache-buffer overflow.</li> <li>Supports MIB-II interfaces: ifNumber.</li> <li>Sorting the system log from latest to oldest.</li> <li>Modified "WEN" to "WED" on the Schedule web page.</li> <li>Allows characters such as '@' ' ' ' _ ' ' ' ' for SMTP user accounts.</li> <li>Main page shows Host name instead of model name.</li> <li>Supports IE10 and above.</li> <li>Shows video stream on non-IE browsers.</li> <li>Prevent web server crashes due to taking oversized jpeg snapshots.</li> <li>The default setting for event alarm is enable.</li> <li>Display of a warning message during the upgrade process: "Firmware is upgrading, please don't power off the device before the system reboot is completed!"</li> </ol>	<p><b>Bugs Fixed:</b></p> <ol style="list-style-type: none"> <li>Configuration import and firmware upgrade fails in HTTPS mode.</li> <li>Audio streaming fails occasionally through multicast push protocol.</li> <li>Long learning time for Tamper alarm.</li> <li>Failed transmission for multicast connections if IP address has been changed in DHCP mode.</li> <li>Reconnection requirement for camera to activate the CBRPro setting.</li> <li>Inability to save account privileges.</li> <li>Interference between VMD events.</li> <li>Inability to import configuration files via HTTPS in IE10.</li> <li>No video stream when video port is an odd number.</li> <li>Inability to upgrade firmware via Chrome.</li> <li>Occasional inability to use DynaStream previewing.</li> </ol> <p><b>Changes:</b></p> <ol style="list-style-type: none"> <li>Changed the MIB file to v1.4.</li> </ol>	N/A

**Software Name:** Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
			P06-1MP-M12-MIC-CAM42-CT-T, VPort P06-1MP-M12-MIC-CAM60-T, VPort P06-1MP-M12-MIC-CAM60-CT, VPort P06-1MP-M12-MIC-CAM60-CT-T, VPort P06-1MP-M12-MIC-CAM80, VPort P06-1MP-M12-MIC-CAM80-CT, VPort P06-1MP-M12-MIC-CAM80-T, VPort P06-1MP-M12-MIC-CAM80-CT-T			

Software Name: Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
v1.3	N/A	N/A	VPort P06-1MP-M12-CAM25, VPort P06-1MP-M12-CAM25-CT, VPort P06-1MP-M12-CAM36, VPort P06-1MP-M12-CAM36-CT, VPort P06-1MP-M12-CAM36-T, VPort P06-1MP-M12-CAM42, VPort P06-1MP-M12-CAM42-T, VPort P06-1MP-M12-CAM60, VPort P06-1MP-M12-CAM60-CT, VPort P06-1MP-M12-CAM60-T, VPort P06-1MP-M12-MIC-CAM36, VPort P06-1MP-M12-MIC-CAM36-T, VPort P06-1MP-M12-MIC-CAM42-T, VPort P06-1MP-M12-MIC-CAM60, VPort P06-1MP-M12-CAM25-T, VPort P06-1MP-M12-CAM25-CT-T, VPort P06-1MP-M12-CAM36-CT-T, VPort P06-1MP-M12-CAM42-CT, VPort P06-1MP-M12-CAM42-CT-T, VPort P06-1MP-M12-CAM60-CT-T, VPort P06-1MP-M12-CAM80, VPort P06-1MP-M12-CAM80-CT, VPort P06-1MP-M12-CAM80-T, VPort P06-1MP-M12-CAM80-CT-T, VPort P06-1MP-M12-MIC-CAM25, VPort P06-1MP-M12-MIC-CAM25-T, VPort P06-1MP-M12-MIC-CAM25-CT, VPort P06-1MP-M12-MIC-CAM25-CT-T, VPort P06-1MP-M12-MIC-CAM36-CT, VPort P06-1MP-M12-MIC-CAM36-CT-T, VPort P06-1MP-M12-MIC-CAM42, VPort P06-1MP-M12-MIC-CAM42-CT, VPort	<b>New Features:</b> 1. IE10 supported 2. Force I frame after configuring unicast connection 3. Sequential snapshot function 4. Add the time interval parameters in NTP server time synchronization <b>Enhancements:</b> N/A	<b>Bugs Fixed:</b> 1. Different devices may have the same IP.  <b>Changes:</b> N/A	N/A



**Software Name:** Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
			P06-1MP-M12-MIC-CAM42-CT-T, VPort P06-1MP-M12-MIC-CAM60-T, VPort P06-1MP-M12-MIC-CAM60-CT, VPort P06-1MP-M12-MIC-CAM60-CT-T, VPort P06-1MP-M12-MIC-CAM80, VPort P06-1MP-M12-MIC-CAM80-CT, VPort P06-1MP-M12-MIC-CAM80-T, VPort P06-1MP-M12-MIC-CAM80-CT-T			

Software Name: Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
v1.1	N/A	N/A	VPort P06-1MP-M12-CAM25, VPort P06-1MP-M12-CAM25-CT, VPort P06-1MP-M12-CAM36, VPort P06-1MP-M12-CAM36-CT, VPort P06-1MP-M12-CAM36-T, VPort P06-1MP-M12-CAM42, VPort P06-1MP-M12-CAM42-T, VPort P06-1MP-M12-CAM60, VPort P06-1MP-M12-CAM60-CT, VPort P06-1MP-M12-CAM60-T, VPort P06-1MP-M12-MIC-CAM36, VPort P06-1MP-M12-MIC-CAM36-T, VPort P06-1MP-M12-MIC-CAM42-T, VPort P06-1MP-M12-MIC-CAM60, VPort P06-1MP-M12-CAM25-T, VPort P06-1MP-M12-CAM25-CT-T, VPort P06-1MP-M12-CAM36-CT-T, VPort P06-1MP-M12-CAM42-CT, VPort P06-1MP-M12-CAM42-CT-T, VPort P06-1MP-M12-CAM60-CT-T, VPort P06-1MP-M12-CAM80, VPort P06-1MP-M12-CAM80-CT, VPort P06-1MP-M12-CAM80-T, VPort P06-1MP-M12-CAM80-CT-T, VPort P06-1MP-M12-MIC-CAM25, VPort P06-1MP-M12-MIC-CAM25-T, VPort P06-1MP-M12-MIC-CAM25-CT, VPort P06-1MP-M12-MIC-CAM25-CT-T, VPort P06-1MP-M12-MIC-CAM36-CT, VPort P06-1MP-M12-MIC-CAM36-CT-T, VPort P06-1MP-M12-MIC-CAM42, VPort P06-1MP-M12-MIC-CAM42-CT, VPort	<b>New Features:</b> 1. CBR Pro. 2. Motion block of video motion detection. <b>Enhancements:</b> N/A	<b>Bugs Fixed:</b> 1. Reset button not working. <b>Changes:</b> N/A	N/A

**Software Name:** Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
			P06-1MP-M12-MIC-CAM42-CT-T, VPort P06-1MP-M12-MIC-CAM60-T, VPort P06-1MP-M12-MIC-CAM60-CT, VPort P06-1MP-M12-MIC-CAM60-CT-T, VPort P06-1MP-M12-MIC-CAM80, VPort P06-1MP-M12-MIC-CAM80-CT, VPort P06-1MP-M12-MIC-CAM80-T, VPort P06-1MP-M12-MIC-CAM80-CT-T			

Software Name: Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
v1.0	N/A	N/A	VPort P06-1MP-M12-CAM25, VPort P06-1MP-M12-CAM25-CT, VPort P06-1MP-M12-CAM36, VPort P06-1MP-M12-CAM36-CT, VPort P06-1MP-M12-CAM36-T, VPort P06-1MP-M12-CAM42, VPort P06-1MP-M12-CAM42-T, VPort P06-1MP-M12-CAM60, VPort P06-1MP-M12-CAM60-CT, VPort P06-1MP-M12-CAM60-T, VPort P06-1MP-M12-MIC-CAM36, VPort P06-1MP-M12-MIC-CAM36-T, VPort P06-1MP-M12-MIC-CAM42-T, VPort P06-1MP-M12-MIC-CAM60, VPort P06-1MP-M12-CAM25-T, VPort P06-1MP-M12-CAM25-CT-T, VPort P06-1MP-M12-CAM36-CT-T, VPort P06-1MP-M12-CAM42-CT, VPort P06-1MP-M12-CAM42-CT-T, VPort P06-1MP-M12-CAM60-CT-T, VPort P06-1MP-M12-CAM80, VPort P06-1MP-M12-CAM80-CT, VPort P06-1MP-M12-CAM80-T, VPort P06-1MP-M12-CAM80-CT-T, VPort P06-1MP-M12-MIC-CAM25, VPort P06-1MP-M12-MIC-CAM25-T, VPort P06-1MP-M12-MIC-CAM25-CT, VPort P06-1MP-M12-MIC-CAM25-CT-T, VPort P06-1MP-M12-MIC-CAM36-CT, VPort P06-1MP-M12-MIC-CAM36-CT-T, VPort P06-1MP-M12-MIC-CAM42, VPort P06-1MP-M12-MIC-CAM42-CT, VPort	<b>New Features:</b> 1. First release.  <b>Enhancements:</b> N/A	<b>Bugs Fixed:</b> N/A  <b>Changes:</b> N/A	N/A

**Software Name:** Firmware for VPort P06-1MP-M12 Series

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/ Enhancements	Bugs Fixed/Changes	Note
			P06-1MP-M12-MIC-CAM42-CT-T, VPort P06-1MP-M12-MIC-CAM60-T, VPort P06-1MP-M12-MIC-CAM60-CT, VPort P06-1MP-M12-MIC-CAM60-CT-T, VPort P06-1MP-M12-MIC-CAM80, VPort P06-1MP-M12-MIC-CAM80-CT, VPort P06-1MP-M12-MIC-CAM80-T, VPort P06-1MP-M12-MIC-CAM80-CT-T			