

Software Name: MXview

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/Enhancements	Bugs Fixed/Changes	Note
2.9	Build_17110715	Windows 7 (32/64-bit) Windows 8 (32/64-bit) Windows 10 (32/64-bit) Windows Server 2008 (32/64-bit) Windows Server 2012 (32/64-bit) Windows Server 2012 (32/64-bit)	MXview	New Features <ol style="list-style-type: none"> 1. Customized name for port label 2. Inventory report can export to PDF or CSV file 3. Support the PRP/HSR topology on PT-7728-PTP 4. The old version database can be upgrade to the current verion and restore. 5. Following model supported: <ol style="list-style-type: none"> a. MGate 5103 b. MGate 5111 c. AWK-1137C d. TAP-213 e. PT-G7728/G7828 f. EDS-P506E 6. Security view supported in the following model: <ol style="list-style-type: none"> a. EDR-G902/G903 (with firmware after v4.2) c. EDR-810 (with firmware after v4.2) d. MGate-5118, e.MGate 5101-PBM-MN, f. MGate 5103 g. MGate 5109 h. MGate W5108 i. MGate W5208 Enhancement <ol style="list-style-type: none"> 1. Icon, topology, background image and the document of device is remainedafter upgrade the MXview 2. Prevent nonprivileged local user to execute arbitrary code with elevated privileged on the system. 3. HTTPS certs will not show under web folder. 4. RSA keys of SSL certificate increase from 1024 to 2048 bits 	Bug Fix <ol style="list-style-type: none"> 1. ICMP and SNMP pooling interval value don't change after restart the MXview 2. Unexpected large packet could potentially crash MXview Server 3. Remote user can read the random generated private key for MXview's self-signed certification. 4. PT-7528 hardware version 2.0 can't be viewed 5.Set SNMPv3 auth type at add device, only SHA will be activated event choose MD5 or SHA Changes <ol style="list-style-type: none"> 1. modify the scenario of virtual demo 	N/A
2.8	Build_16110710_Trial	Windows XP Professional Windows 7 (32/64-bit) Windows 8 (32/64-bit) Windows 10 (32/64-bit) Windows Server 2008 (32/64-bit) Windows Server 2012 (32/64-bit) Windows Server 2012 (32/64-bit)	MXview	<ol style="list-style-type: none"> 1. Security View: Security level of network devices in a glance 2. Dynamic Wireless Dashboard for AWK-A series 3.Support Windows 10 & Server 2012 R2 (32/64-bit) 	<ol style="list-style-type: none"> 1. Fix login issue of DB Restore Tool. 2. While MXview is reactivated, SNMPv3 connection between MXview and network device will occasionally be lost. 3. When active SNMPv3 configuration, the process might hang during the MXview discovery process. 	N/A
2.7	Build_16020317_Trial	Windows XP Professional Windows 7 (32/64-bit) Windows 8 (32/64-bit) Windows 10 (32/64-bit) Windows Server 2008 (32/64-bit)	MXview	<ol style="list-style-type: none"> 1.Built-in Mxview Client 2.Multiple User-defined Accounts 3.Security Notification & Visualization 	N/A	N/A
2.6	Build_15071510_Trial	Windows XP Professional Windows 7 (32/64-bit) Windows 8 (32/64-bit) Windows Server 2008 (32/64-bit) Windows Server 2012 (32/64-bit)	MXview	<ol style="list-style-type: none"> 1. Visualization for PT-G503 PRP/HSR Redundant Box 	N/A	N/A

Software Name: MXview

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/Enhancements	Bugs Fixed/Changes	Note
2.5	Build_14122616_Trial	Windows 2012 Windows 8 x64 Windows 8 x86 Windows 7 x64 Windows 7 x86 Windows 2008 x64 Windows 2008 x86 Windows XP x64 Windows XP x86	MXview	1.Support virtual demo network. 2.Support traffic load visualization. 3.Support VPN tunnel visualization. 4.Support Syslog server.	N/A	N/A
2.4	Build_14061817_Trial	Windows XP Professional Windows 7 (32/64-bit) Windows 8 (32/64-bit) Windows Server 2008 (32/64-bit) Windows Server 2012 (32/64-bit)	MXview	1. Support to generate custom events and notifications 2. Support to generate custom OPC tags 3. Support to export, import, copy, and paste device list 4. Support built-in browser 5. Support Windows 8 and Windows Server 2012	N/A	N/A
2.3	N/A	N/A	MXview	1.Supports new SNMP agent function 2.Supports new OPC tag of Health status of GROUP	N/A	N/A
2.2	N/A	N/A	MXview	1.PoE Power consumption Visualization 2.Generate trend graphs to track bandwidth utilization and error packet rate statistics accurate to four decimal points	1.Fixed Event playback time synchronizing bug while using daylight-saving time.	N/A
2.1	N/A	N/A	MXview	1.2,000 nodes supported 2.Virtual device panel 3.Group visualization of VLAN and IGMP snooping 4.Enhanced event playback interface 5.Auto topology for end devices in the same subnet with MXview server 6.Convenient device icon alignment tool 7.New topology style and auto ring layout algorithm 8.Core Switches supported	N/A	N/A
2.0	N/A	N/A	MXview	1.Network Event Playback 2.1-click mass operation of configuration and firmware 3.Scheduling for routinely config backup 4.Change history of configuration 5.Comparison tool of two configuration files 6.Grouping (multi-layer topology map) 7.NPort S8000 supported	N/A	N/A

Software Name: MXview

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/Enhancements	Bugs Fixed/Changes	Note
1.1	N/A	N/A	MXview	<p>New features:</p> <ol style="list-style-type: none"> 1,000 nodes supported Grouping (2-layer topology map) OPC 2.0 compliant Windows 7 and Server 2008 supported Device icons changeable Guest account SNMP Inform server Auto startup (Windows service) AWK 3121, 4121 supported <p>Enhancement</p> <ol style="list-style-type: none"> UI enhancement 	N/A	N/A
1.0	N/A	N/A	MXview	<ol style="list-style-type: none"> 1. Auto Topology (for LLDP devices) 2. Visualize Turbo Ring/Chain and port trunking 3. Add SNMP trap as another way to collect events 4. Notify users of events with SMS 5. Notify local users of events with sounds and external programs 6. More map operations, such as zoom or background image 7. Comprehensive event history 8. Export/import the system configurations 	N/A	N/A