

Software Name: **MXstudio**

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/Enhancements	Bugs Fixed/Changes	Note
2.5	Build_17110816	Windows 7 (32/64-bit) Windows 8 (32/64-bit) Windows 10 (32/64-bit) Windows Server 2008 (32/64-bit) Windows Server 2012 (32/64-bit) Windows Server 2012 R2 (32/64-bit)	MXstudio	<b>New Features:</b> MXconfig 2.5 following models are supported 1. EDR-G902/G903 with firmware v4.2 or later, 2. TN-5916, 3. PT-G7728/G7828, 4. EDS-P506E, 5. MGate 5103, 6. MGate 5111, 7. AWK-1137C, 8. AWK-3131A 9. AWK-4131A, 10 AWK-1131A 11. TAP-213, 12. WAC-1001, 13. WAC-2004 MXview 2.9 1. Customized name for port label 2. Inventory report can export to PDF or CSV file 3. Support the PRP/HSR topology on PT-7728-PTP 4. The old version database can be upgrade to the current verion and restore. 5. Following model supported: a. MGate 5103 b. MGate 5111 c. AWK-1137C d. TAP-213 e. PT-G7728/G7828 f. EDS-P506E 6. Security view supported in the following model: a. EDR-G902/G903 (with firmware after v4.2) c. EDR-810 (with firmware after v4.2) d. MGate-5118, e.MGate 5101-PBM-MN, f. MGate 5103 g. MGate 5109 h. MGate W5108 i. MGate W5208 N-Snap 1.4 1. Device table can show the status of device redundancy 2. Take snapshot will fetch the event log <b>Enhancements</b> MXView2.9 1. Icon, topology, background image and the document of device is remainedafter upgrade the MXview 2. Prevent nonprivileged local user to execute arbitrary code with elevated privileged on the system 3. HTTPS certs will not show under web folder. 4. RSA keys of SSL certificate increase from 1024 to 2048 bits	<b>Changes</b> MXView 1. modify the scenario of virtual demo  <b>Bug Fixed</b> MXView 1. ICMP and SNMP pooling interval value don't change after restart the MXview 2. Unexpected large packet could potentially crash MXview Server 3. Remote user can read the random generated private key for MXview's self-signed certification. 4. PT-7528 hardware version 2.0 can't be viewed 5.Set SNMPv3 auth type at add device, only SHA will be activated event choose MD5 or SHA	
2.4	Build_16110710	Windows XP Professional Windows 7 (32/64-bit) Windows 8 (32/64-bit) Windows 10 (32/64-bit) Windows Server 2008 (32/64-bit) Windows Server 2012 (32/64-bit) Windows Server 2012 R2 (32/64-bit)	MXstudio	MXconfig 2.4 1. Security Wizard: 3-step mass configuration for security-related parameters 2. Support Windows 10 & Server 2012 R2 (32/64-bit)  MXview 2.8 1. Security View: Security level of network devices in a glance 2. Dynamic Wireless Dashboard for AWK-A series 3. Support Windows 10 & Server 2012 R2 (32/64-bit)  MXview ToGo (iOS & Android) 1. Android: Support tablet 2. iOS: Support iPad	MXView 2.8 1. Fix login issue of DB Restore Tool. 2. While MXview is reactivated, SNMPv3 connection between MXview and network device will occasionally be lost. 3. When active SNMPv3 configuration, the process might hang during the MXview discovery process.	
2.3	Build_16022314	Windows XP Professional Windows 7 (32/64-bit) Windows 8 (32/64-bit) Windows 10 (32/64-bit) Windows Server 2008 (32/64-bit) Windows Server 2012 (32/64-bit)	MXstudio	MXconfig 2.3 1.Mass Configuration for Secure Router (NAT, VPN, and Firewall settings) 2.Mass Configuration for AWK series (Wireless setting) MXview 2.7 1.Built-in MXview Client 2.Multiple User-defined Accounts 3.Security Notification & Visualization MXview ToGo (iOS & Android) 1.Network Topology Display	N/A	

Software Name: **MXstudio**

Version No.	Build Date No./Release Date	Supported OS	Apply to Models	New Features/Enhancements	Bugs Fixed/Changes	Note
2.2	Build_15071511	Windows XP Professional Windows 7 (32/64-bit) Windows 8 (32/64-bit) Windows Server 2008 (32/64-bit) Windows Server 2012 (32/64-bit)	MXstudio	MXconfig 2.2 1. Mass Configuration for Secure Router MXview 2.6 1. Visualization for PT-G503 PRP/HSR Redundant Box N-Snap 1.3 1. Network Comparison Enhancement	N/A	
2.1	Build_14123111	Windows XP Professional Windows 7 (32/64-bit) Windows 8 (32/64-bit) Windows Server 2008 (32/64-bit) Windows Server 2012 (32/64-bit)	MXstudio	MXconfig 2.1 1. Support N-to-N config import 2. Support to display current settings 3. Support IP list import 4. Support security functions configuration 5. Support port-level configuration MXview 2.5 1. Support virtual demo network 2. Support traffic load visualization 3. Support VPN tunnel visualization 4. Support Syslog server N-Snap 1.2 1. Support historical snapshot comparison	N/A	
2.0	Build_14061817	Windows XP Professional Windows 7 (32/64-bit) Windows 8 (32/64-bit) Windows Server 2008 (32/64-bit) Windows Server 2012 (32/64-bit)	MXstudio	MXconfig 2.0 1. <del>Support Link Sequence IP address setting</del> 2. Support to export, import, copy, and paste device list 3. Support PoE function settings 4. Support Device Locator 5. Support Profile function 6. Support to classify devices into groups 7. Support Windows 8 and Windows Server 2012 MXview 2.4 1. Support to generate custom events and notifications 2. Support to generate custom OPC tags 3. Support to export, import, copy, and paste device list 4. Support built-in browser 5. Support Windows 8 and Windows Server 2012 N-Snap 1.1 1. Support continuous setup wizard from MXview to N-Snap 2. Support to export, import, copy, and paste device list 3. Support Windows 8 and Windows Server 2012	N/A	

Software Name: **MXstudio**

Version No.	Build Date No./ Release Date	Supported OS	Apply to Models	New Features/Enhancements	Bugs Fixed/Changes	Note
1.0	Build_13112516	Windows 7 x64 Windows 7 x86 Windows 2008 x64 Windows 2008 x86 Windows XP x64 Windows XP x86	Mxstudio	1.Newly released. 2.Software package: MXconfig 1.2 New Feature(s) - Support for EDS E Series switches. - ICMP ping requests to check if remote devices are alive. - Forwarding and port tables displayed on the Device Properties page. MXview 2.3 N-Snap 1.0	MXconfig 1.2 Bug(s) Fix - Fixed daylight savings time (DST) synchronization bug	