


PSEN op4F-s-14-030/1

630741



Safety light curtain, type 4, PL e, finger protection (resolution 14 mm)
Protected field height 300 mm, supply voltage 24 V, connector M12,
sender: 4-pin, receiver: 8-pin, Connection cable not supplied with the unit.

Technical details

| | |
|-----------------------------------|------------------------------------|
| Certifications: | CE;cULus Listed;EAC (Eurasian);TÜV |
| Sensor principle: | Optical |
| Type in accordance with EC 61496: | 4 |
| Number of beams: | 32 |
| Resolution of safety device: | 14 mm |
| Resolution, protection type: | Finger |
| Height of protected field: | 300 mm |
| Operating range (m): | 0,2 - 6,0 |
| Reaction time: | 15.00 ms |
| Number of OSSD outputs: | 2 |
| Muting: | No |
| Blanking: | No |
| Supply voltage (V): | 24,0 |
| Supply voltage type: | DC |
| Protection type, housing: | IP65 |
| Application in accordance with: | CLC/TS 61496-2;EN 61496-1 |
| Width dimension: | 32.3 mm |
| Height dimension: | 383.2 mm |
| Depth dimension: | 36.9 mm |
| Gross weight: | 2440 g |

| | |
|----------------------|-----------|
| Net weight: | 1740 g |
| Ambient temperature: | 0 - 55 °C |

Accessories



630303

PSEN op cable axial M12 4-p. shield. 3m



630304

PSEN op cable axial M12 4-p. shield. 5m



630305

PSEN op cable axial M12 4-p. shield. 10m



630306

PSEN op cable angle M12 4-p. shield. 3m



630307

PSEN op cable angle M12 4-p. shield. 5m



630308

PSEN op cable angle M12 4-p. shield. 10m











630309

PSEN op cable axial M12 4-p. shield. 30m



630313

PSEN op cable axial M12 8-p. shield. 3m

| | | |
|-------------------------------------------------------------------------------------|--------|------------------------------------------|
|  | 630314 | PSEN op cable axial M12 8-p. shield. 5m |
|  | 630315 | PSEN op cable axial M12 8-p. shield. 10m |
|  | 630316 | PSEN op cable angle M12 8-p. shield. 3m |
|  | 630317 | PSEN op cable angle M12 8-p. shield. 5m |
|  | 630318 | PSEN op cable angle M12 8-p. shield. 10m |
|  | 630319 | PSEN op cable angle M12 4-p. shield. 30m |
|  | 630328 | PSEN op cable axial M12 8-p. shield. 30m |
|  | 630329 | PSEN op cable angle M12 8-p. shield. 30m |