

# 产品认证证书

## II型自愿认证

证书编号: CQC22107331537

发证日期: 2022年02月15日

有效期至: 2031年04月26日

委托人名称 及注册地址	皮尔磁工业自动化有限公司 德国奥斯费登, 夫莱克斯-万科街 2 号, D-73760
制造商名称 及注册地址	皮尔磁工业自动化有限公司 德国奥斯费登, 夫莱克斯-万科街 2 号, D-73760
生产企业名称 及生产地址	Bernstein KFT Oradna u. 7, 1044 Budapest, Hungary
产品名称和系列、 规格、型号	限位开关 PSEN me1.21S/1AR ; PSEN me1.2S/1AR ; PSEN me1.2S/1AS ; PSEN me1M/1AR ; PSEN me1M/1AS ; PSEN me1S/1AR ; PSEN me1S/1AS;Ui:250V;Uimp:2.5kV;Ith:5A;AC-15:Ue/Ie:230V/2.5A;IP67;型号解释详见附件
产品标准和技术要求	GB/T 14048.5-2017
认证模式	产品型式试验+初次工厂检查+获证后监督

上述产品符合 CQC12-000001-2020 认证规则的要求, 特发此证。

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

可通过扫描下方二维码或登录国家认监委网站 ( www.cnca.gov.cn ) 查验证书信息



授权签字人

签发

陈昕

谢肇煦



中国质量认证中心

# 产品认证证书

## II型自愿认证

证书编号: CQC22107331537

第 1 页 共 2 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

型号解释:

PSEN me1.21S/1AR: Spring force locking action; operation voltage 110/230V AC; 2NC+1NO/1NC;

auxiliary release of front; Radius actuator; no LED

弹簧力锁定, 操作电压 110/230V AC; 2NC+1NO/ 1NC, 前辅助释放, 半径操动器,

不带 LED

PSEN me1.2S/1AR:Spring force locking action; operation voltage 110/230V AC;

1NC+1NO/1NC+1NO; auxiliary release of front; Radius actuator; no LED

弹簧力锁定, 操作电压 110/230V AC; 1NC+1NO/1NC+1NO, 前辅助释放, 半径操动器, 不带 LED

PSEN me1.2S/1AS:Spring force locking action; operation voltage 110/230V AC;

1NC+1NO/1NC+1NO; auxiliary release of front; Standard actuator; no LED

弹簧力锁定, 操作电压 110/230V AC; 1NC+1NO/1NC+1NO, 前辅助释放, 标准操动器, 不带 LED

PSEN me1M/1AR:Magnet force locking action; operation voltage: 24V AC/DC;

1NC+1NO/1NC+1NO; no mechanical release; Radius actuator; no LED

磁力锁定, 操作电压 24V AC/DC, 1NC+1NO/1NC+1NO, 无机械释放, 半径操动器, 不带 LED

PSEN me1M/1AS:Magnet force locking action; operation voltage: 24V AC/DC;

1NC+1NO/1NC+1NO; no mechanical release; Standard actuator; no LED

磁力锁定, 操作电压 24V AC/DC, 1NC+1NO/1NC+1NO, 无机械释放, 标准操动器, 不带 LED

PSEN me1S/1AR:Spring force locking action; operation voltage 24V AC/DC;

1NC+1NO/1NC+1NO; auxiliary release of front; Radius actuator; no LED

弹簧力锁定, 操作电压 24V AC/DC, 1NC+1NO/1NC+1NO, 前辅助释放 半径操动器, 不带 LED

PSEN me1S/1AS:Spring force locking action; operation voltage 24V AC/DC;

1NC+1NO/1NC+1NO; auxiliary release of front; Standard actuator; no LED

弹簧力锁定, 操作电压 24V AC/DC, 1NC+1NO/1NC+1NO, 前辅助释放



中国质量认证中心

# 产品认证证书

## II型自愿认证


证书编号：CQC22107331537

第 2 页 共 2 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

标准操动器，不带 LED



中国质量认证中心